Contents

Preface vii

Conference Editors ix

Congress Committees xi

PART A: APPLIED SURFACE SCIENCE

I. QUANTITATIVE SURFACE AND INTERFACE ANALYSIS

Quantitative XPS: non-destructive analysis of surface nano-structures
S. Tougaard 1

Auger electron peaks of Cu in XPS
M. Jo and A. Tanaka 11

Intrinsic Auger signal profiles derived by Monte Carlo analysis
Z.-J. Ding, R. Shimizu and K. Goto 15

The influence of elastic scattering on the concentration dependence of the photoelectron line intensity
I.S. Tilinin, A. Jablonski and B. Lesiak-Orlowska 20

True Auger spectral shapes (standards)
Y. Takeichi, K. Goto and V. Gaidarova 25

Comparison of AES chemical shifts with XPS chemical shifts
T. Sekine, N. Ikeo and Y. Nagasawa 30

Simultaneous determination of composition and thickness of thin iron-oxide films from XPS Fe 2p spectra
P.C.J. Graat and M.A.J. Somers 36

A general procedure for extracting quantitative depth information from take-off-angle-resolved XPS and AES
W.H. Gries 41

Calculations of 'effective' inelastic mean free paths in solids
S. Tanuma, S. Ichimura and K. Yoshihara 47

Auger electron spectroscopy measurement of electron attenuation lengths using multilayer systems
M. Suzuki, K. Mogi and H. Takenaka 51

XPS depth profiling by changing incident X-ray energy
H. Shimada, N. Matsubayashi, M. Imamura, T. Sato and A. Nishijima 56

Enhanced Raman scattering from copper phthalocyanine on Pt by use of a Weierstrass prism
M. Futamata, E. Keim, A. Bruckbauer, D. Schumacher and A. Otto 60

Surface mechanical property testing by depth sensing indentation
J.L. Meneve, J.F. Smith, N.M. Jennett and S.R.J. Saunders 64

Depth-dependent non-destructive analysis of thin overlayers using total-reflection-angle X-ray spectroscopy
N. Shibata, S. Okubo and K. Yonemitsu 69

High sensitivity of positron-annihilation induced Auger-electron spectroscopy to surface impurities
T. Ohdaira, R. Suzuki, T. Mikado, H. Ohgaki, M. Chiwaki, T. Yamazaki and M. Hasegawa 73

High depth resolution depth profiling of metal films using SIMS and sample rotation
D.E. Sykes, A. Chew, J. Hems and K. Stribley 77

Determination of the interface region in multilayer Si/Mo by Auger depth profile and factor analysis
T. Morohashi, T. Hoshi, H. Nikaido and M. Kudo 84

Analysis of Auger sputter depth profiles with a resolution function
T. Kitada, T. Harada and S. Tanuma 89

Oxide thin films formed during rotational AES sputter depth profiling of Ni/Cr multilayers using oxygen ions
A. Zalar, E.W. Seibt and P. Panjan 92

Damage profiling of Ar^+ sputtered Si(100) surface by medium energy ion scattering spectroscopy
J.C. Lee, C.S. Jeong, H.J. Kang, H.K. Kim and D.W. Moon 97

Thickness dependent electron stimulated desorption of thin epitaxial films of alkali halides
M. Szymonski, J. Kolodziej, P. Czuba, P. Piatkowski, P. Korecki, Z. Postawa and N. Itoh 102

UPS studies of conducting polymers: dopant effect on conjugated polymer systems sensitive to conductivity
S. Takemura, Y. Kitagawa, H. Kato and Y. Nakajima 107

Surface characterization of cell adhesion controlled polymer modified by ion bombardment
A. Nakao, M. Kaibara, M. Iwaki, Y. Suzuki and M. Kusakabe 112

Structural properties of epitaxially grown perfluoro *n*-alkane thin films prepared by vapor deposition
K. Ishida, T. Horiuchi, S. Kai and K. Matsushige 116

Photoresist characteristics of polyurea films prepared by vapor deposition polymerization. Depolymerization of polyurea
M. Iijima, M. Sato and Y. Takahashi 120

Molecular orientation of polyimide films determined by an optical retardation method
K. Sakamoto, R. Arafune, S. Ushioda, Y. Suzuki and S. Morokawa 124

Secondary ion emission from Langmuir–Blodgett (LB) films investigated by time-of-flight secondary ion mass spectrometry
M. Kudo, S. Yamada, S. Yoshida, T. Watanabe and T. Hoshi 129

Ion induced alteration at Pb–Sn alloy surface investigated by Auger electron spectroscopy and X-ray photoelectron spectroscopy
M. Kudo, A. Ishijima and T. Morohashi 134

Influence of ion-implantation on native oxidation of Si in a clean-room atmosphere
F. Yano, A. Hiraoka, T. Itoga, H. Kojima, K. Kanehori and Y. Mitsui 138

Surface structure analysis of dispersed metal sites on single crystal metal oxides by means of polarization-dependent total-reflection fluorescent EXAFS
W.-J. Chun, K. Asakura and Y. Iwasawa 143

Luminescent properties of an anodically oxidized P-doped silicon wafer
M. Iwaso and T. Arakawa 147

Submicron particle analysis by the Auger microprobe (FE-SAM)
H. Ito, M. Ito, Y. Magatani and F. Soeda 152

Determination of $Al_xGa_{1-x}As$ Auger sensitivity factors
W.D. Chen and Y.D. Cui 156

The surface and interface reaction of metal thin film on sapphire substrate
H.J. Kang, C.H. Kim, N.S. Park and M.W. Kim 160

II. SURFACE PROCESSES AND PHENOMENA

Effect of different surface treatments on the precipitation of boron nitride for stainless steel SUS304
Y. Suzuki, T. Homma, M. Minato and Y. Itoh 165

Ga migration process in Au film on (100) GaAs under temperature treatment in vacuum
T.A. Bryantseva, D.V. Lioubtchenko and V.V. Lopatin 169

Temperature-programmed desorption of positive ions and neutral molecules from alkali halide layers deposited on a metal surface
H. Kawano, S. Kamidoi, H. Shimizu, K. Ushimaru and H. Asada 174

Heating effects on modifying carbon surface by reactive plasma
Y. Izumi, M. Katoh, T. Ohte, S. Ohtani, A. Kojima and N. Saitoh 179

The effect of EB irradiation with and without hot-jet Cl_2 on an ultra-thin GaN layer for selective etching
S. Yoshida, M. Sasaki and T. Ishikawa 184

A modified surface of titanium and its vacuum characteristic
T. Homma, M. Minato, Y. Itoh, S. Akiya and T. Suzuki 189

Empirical formulae of the threshold temperature range for dissociative positive ionization of alkali halides on heated metal surfaces
H. Kawano, K. Ohgami, S. Matsui and Y. Kitayama 193

Thermal positive ion production from thallium chloride molecules impinging upon a tungsten surface heated in high vacua
H. Kawano, K. Ohgami and N. Serizawa 199

Effect of gas adsorption on the segregation behavior of substrate Cu on Ti film
M. Yoshitake and K. Yoshihara 203

Quantitative relationship between the work function and transfer ratio of a potassium-adsorbed MIM cathode
T. Kusunoki and M. Suzuki 207

Adsorption and thermal decomposition of diethyltellurium on GaAs(100)
S.I. Gheyas, M. Nishio, T. Urisu and H. Ogawa 211

Behavior of zirconium on ZrO/W(100) surface
H. Satoh, H. Nakane and H. Adachi 216

Sn segregation to the low index surfaces of a copper single crystal
J. du Plessis and E.C. Viljoen 222

Investigation of characteristics of carbon materials with various structures modified by plasmas using plasma diagnostics and material-surface analysis
M. Katoh, Y. Izumi, H. Kimura, T. Ohte, A. Kojima and S. Ohtani 226

Hydrogen desorption characteristics of composite Co–TiN nanoparticles
Y. Sakka and S. Ohno 232

The correlation between surface charge distribution and flashover properties of alumina surface in vacuum
Tumiran, S. Kobayashi, M. Maeyama, H. Imada and Y. Saito 238

Charge-up and charge compensation on monochromatized X-ray photoelectron spectroscopic measurements of alumina and glass
H. Tomizuka and A. Ayame 243

III. OXIDATION AND OXIDIC MATERIALS

Oxide thickness dependence of photocurrent for the GeO_2/Ge film system
Y. Matsuo and K. Oishi 248

Water vapor effects on the TeO_2/Te thin film conductance
S. Suehara, T. Hatano and A. Nukui 252

NO interaction with thermally activated CaO and SrO surfaces
Y. Yanagisawa 256

Surface oxygen and electrical resistance of $YBa_2Cu_4O_8$
S. Saito, M. Ishihara, T. Tani, T. Maeda, N. Watanabe, I. Rittaporn and N. Koshizuka 260

Angular resolved EPMA analysis of thin films prepared by pulsed laser ablation of $CdWO_4$(010)
K. Tanaka, N. Yokota, N. Shirai, Q. Zhuang and R. Nakata 264

Structural fluctuation of SiO_2 network at the interface with Si
Y. Sugita, S. Watanabe, N. Awaji and S. Komiya 268

Characterization of freeze-dried powders prepared by alkoxide route for YBCO superconductors
T. Tachiwaki, J. Sugimoto, T. Ito and A. Hiraki 272

IV. INSTRUMENTAL DEVELOPMENTS

New-type focused fast atom beam (F-FAB) source and evaluation of emitted beam density distribution
M. Hatakeyama, I. Nagahama, K. Ichiki, M. Nakao and Y. Hatamura 277

Simulation of geometrical aberration and beam shape of scanning X-ray probe
H. Iwai, R. Oiwa, P.E. Larson and M. Kudo 283

Development of high spatial resolution Auger microscope as applied to semiconductor analysis
T. Yamada, M. Kudo, Y. Ando, T. Sekine and Y. Sakai 287

A new type of RHEED apparatus equipped with an energy filter
Y. Horio, Y. Hashimoto and A. Ichimiya 292

Apparatus for positron-annihilation-induced Auger electron spectroscopy with a pulsed positron beam
R. Suzuki, T. Ohdaira, T. Mikado, H. Ohgaki, M. Chiwaki and T. Yamazaki 297

Time-resolved detection of laser-ablated particles based on intensity decrease of cw probe laser beam
M. Hattori, S. Sekine, T. Ooie and H. Nonaka 301

Design of an ultrahigh vacuum compatible system for studying the influence of acoustic waves on surface chemical processes
T. Mitrelias, V.P. Ostanin, M. Gruyters and D.A. King 305

Ultrahigh vacuum system for atomic-scale planarization of 6 inch Si(001) substrate
K. Idota, M. Niwa and I. Sumita 311

V. PARTICLE–SOLID INTERACTION

Processes in low-energy ion–surface collisions: preferential sputtering, defect and adatom formation
H. Gnaser 316

Preferential sputtering and surface segregation of CuZr alloys
H.J. Kang, C.H. Kim, N.S. Park, D.J. O'Connor and R. MacDonald 329

Dissociative scattering of low-energy SiF_3^+ and SiF^+ ions (5–200 eV) on Cu(100) surface
H. Yamamoto, Y. Baba and T.A. Sasaki 333

Monte Carlo simulation of ion-induced kinetic electron emission from a metal surface
J. Kawata and K. Ohya 338

Fundamental study on powder-scattering in positive- and negative-ion implantation into powder materials
H. Tsuji, J. Ishikawa, H. Itoh, Y. Toyota and Y. Gotoh 342

Investigation of the physical and chemical interaction of a low energy oxygen ion beam with oxide superconducting films
G. Pindoria, M. Badaye, F. Wang, K. Kawaguchi and T. Morishita 347

Angular distribution of particles sputtered from GaAs by Ar^+ and Xe^+ ion bombardment
T. Aoyama, M. Tanemura and F. Okuyama 351

Soft X-ray emissions by highly charged ions on solid surfaces: Mo and Ta surfaces
T. Emoto, K. Komatsu, A. Ichimiya, S. Ninomiya and M. Sekiguchi 355

Charging phenomenon of insulators in negative-ion implantation
Y. Toyota, H. Tsuji, S. Nagumo, Y. Gotoh and J. Ishikawa 360

VI. THIN FILMS FOR SENSORS

Analysis of the sensing mechanism of tin dioxide thin film gas sensors using the change of work function in flammable gas atmosphere
B. Yea, R. Konishi, T. Osaki, S. Abe, H. Tanioka and K. Sugahara 365

VII. TUNNELING AND ELECTRON MICROSCOPY

Development of ion irradiation system for in situ observation of ion irradiated semiconductor surfaces by ultra high vacuum scanning tunneling microscope
J. Ishikawa, H. Tsuji, K. Kameyama, S. Shimada and Y. Gotoh 370

Roughness study of ion-irradiated silica glass surface
K. Oyoshi, S. Hishita, K. Wada, S. Suehara and T. Aizawa 374

Field emission from transition metal nitride
M. Endo, H. Nakane and H. Adachi 378

PART B. ELECTRONIC MATERIALS AND PROCESSING

I. SEMICONDUCTOR SURFACE DYNAMICS

Molecular beam epitaxy of GaAs/$Al_xGa_{1-x}As$/$In_yGa_{1-y}As$ heterostructures for opto-electronic devices: control of growth parameters
K. Köhler 383

Surface chemistry of materials deposition at atomic layer level
T. Suntola 391

CBE-grown high-quality GaAs on Si substrate
H. Uchida, M. Adachi, H. Nishikawa, T. Egawa, T. Jimbo and M. Umeno 399

Nitridation of GaAs surfaces using nitrogen molecules cracked by a hot tungsten filament
T. Makimoto and N. Kobayashi 403

Infrared external reflection spectroscopy of self-assembled monolayer films on Si substrate with a buried metal layer (BML) structure
Y. Kobayashi and T. Ogino 407

In situ observation of nitridation of GaAs (001) surfaces by infrared reflectance spectroscopy
K. Uwai, Y. Yamauchi and N. Kobayashi 412

Decomposition of triethylindium (TEI) on GaP(001) surface studied by TPD, XPS and RHEED
J. Murata, T. Takeuchi, Y. Suzuki, N. Sanada and Y. Fukuda 417

II. SILICON OXIDATION AND PASSIVATION

Initial stage of oxidation of Si(100) surfaces in dry oxygen
K. Inanaga, T. Nakahata, T. Furukawa and K. Ono 421

Atomically flat, ultra thin-SiO_2/Si(001) interface formation by UHV heating
M. Niwa, K. Okada and R. Sinclair 425

Initial oxidation of Si(311) surfaces studied by high-resolution electron energy loss spectroscopy
H. Ikeda, T. Yamada, K. Hotta, S. Zaima and Y. Yasuda 431

High purity ozone oxidation on hydrogen passivated silicon surface
A. Kurokawa and S. Ichimura 436

STM analysis of wet-chemically prepared H–Si(001) surface
Y. Morita and H. Tokumoto 440

Oxygen adsorption on hydrogen-preadsorbed Si(111)7 × 7 observed by second harmonic generation (SHG)
K. Nakamura, S. Ichimura and H. Shimizu 444

Growth kinetics of thermal oxidation process on Si(100) by real time ultraviolet photoelectron spectroscopy
Y. Enta, Y. Takegawa, M. Suemitsu and N. Miyamoto 449

Initial stages of oxidation of hydrogen-terminated Si surface stored in air
T. Miura, M. Niwano, D. Shoji and N. Miyamoto 454

Doping dependence of second harmonic generation from native oxide/Si(111) interfaces
H. Hirayama, K. Watanabe and M. Kawada 460

III. EPITAXY: GROWTH MECHANISM

Real-time analysis of III–V-semiconductor epitaxial growth
W. Richter and J.-T. Zettler 465

Epitaxial growth of GaAs on HF-treated Si substrates
Y. Uchida, J. Minemura, Y. Yazawa and T. Warabisako 478

GaAs-based LED on Si substrate with GaAs islands active region by droplet-epitaxy
Y. Hasegawa, T. Egawa, T. Jimbo and M. Umeno 482

Novel method of strain-relaxed $Si_{1-x}Ge_x$ growth on Si(100) by MBE
H. Iwano, K. Yoshikawa, A. Kojima, K. Hayashi, S. Zaima and Y. Yasuda 487

Si epitaxial growth at low temperatures using remote plasma process
A. Yoshida, K. Utsumi and A. Ganjoo 491

Routine measurement of the absolute As_4 flux in a molecular beam epitaxy system with conventional RHEED equipment
Ch. Heyn and M. Harsdorff 494

Synthesis of metastable group-IV alloy semiconductors by ion implantation and ion-beam-induced epitaxial crystallization
N. Kobayashi, M. Hasegawa, N. Hayashi, H. Katsumata, Y. Makita, H. Shibata and S. Uekusa 498

Atomic structure analysis of the interfaces in Si/Ge superlattices
K. Sumitomo, T. Nishioka and T. Ogino 503

Comparison of MOCVD and MBE semiconductor superlattices for the evaluation of depth resolution in AES and SIMS
M. Furuya, M. Soga and H. Takano 508

IV. SEMICONDUCTOR INTERFACES AND CONTACTS

Co overlayer formation process on Si(100)2 × 1 studied by SR-PES
T. Jikimoto, C. Heck, K. Komoku, M. Hirai, M. Kusaka and M. Iwami 513

Behavior of ultrathin layers of Co on Si and Ge systems
K. Prabhakaran and T. Ogino 518

Valence band structure of metal silicides modified by argon ion implantation
S. Yamauchi, Y. Hasebe, H. Ohshima, T. Hattori, M. Hirai, M. Kusaka and M. Iwami 522

Electrical properties of metal/$Si_{1-x}Ge_x$/Si(100) heterojunctions
H. Shinoda, M. Kosaka, J. Kojima, H. Ikeda, S. Zaima and Y. Yasuda 526

Microstructure studies of PdGe/Ge ohmic contacts to n-type GaAs formed by rapid thermal annealing
W.D. Chen, X.L. Xie, Y.D. Cui, C.H. Chen and C.C. Hsu 530

V. ULSI CONTACTS AND PROCESS INTEGRATION

Technology development strategies for the 21st century
M.T. Bohr 534

High-rate deposition of high-quality Cu film with LPCVD
K. Numajiri, T. Goya, R. Tobe, O. Okada, N. Hosokawa, C. Mu, N. Cox, C. Scott and J. Yu 541

Low pressure MOCVD of TiN thin films
S.W. Kim, H. Jimba, A. Sekiguchi, O. Okada and N. Hosokawa 546

A nondestructive analysis technique for residual thin films in deep-submicron contact holes
K. Ninomiya, T. Kure, Y. Sudo, K. Kuroda and H. Todokoro 551

Annealing behavior of phosphorus in native oxide films on heavily phosphorus doped silicon
W.B. Ying, Y. Mizokawa, Y.B. Yu, Y. Kamiura, M. Iida and K. Kawamoto 556

Phosphorus redistribution in the surface region of heavily phosphorus doped silicon
Y. Mizokawa, W.B. Ying, Y.B. Yu, Y. Kamiura, M. Iida and K. Kawamoto 561

VI. SURFACE CHEMISTRY OF MATERIALS

Selective epitaxial Si based layers and $TiSi_2$ deposition by integrated chemical vapor deposition
J.L. Regolini, J. Margail, S. Bodnar, D. Maury and C. Morin 566

In-situ IR and mass spectroscopic study of the $Al(CH_3)_2H$/a-Si:H reaction processes
T. Wadayama, Y. Maiwa, H. Shibata and A. Hatta 575

Low temperature etching of Si and PR in high density plasmas
M. Puech and Ph. Maquin 579

Deep trench etching in silicon with fluorine containing plasmas
R.D. Mansano, P. Verdonck and H.S. Maciel 583

CHF_3 adsorption and decomposition on clean and oxygen covered Al(111)
H. Kawada, S. Reiff and J.H. Block 587

Photoluminescence enhancement of $(NH_4)_2S_x$ passivated InP surface by rapid thermal annealing
W.D. Chen, X.Q. Li, L.H. Duan, X.L. Xie and Y.D. Cui 592

Surface barriers formation mechanism of the chemically etched CdTe(111) polar surfaces and gold interfaces
T. Takeuchi, T. Kore-eda and A. Ebina 596

A theoretical analysis of temperature dependence on hydrogenated amorphous silicon thin-film transistors with the consideration of resistance of the a-Si:H film layer as a function of temperature
B.-Y. Chen, J.-R. Chen, F.-L. Jenq and C.-S. Hong 601

Infrared study of chemistry of Si surfaces in etching solution
M. Niwano, T. Miura, R. Tajima and N. Miyamoto 607

Carbon Auger peak shape measurements in the characterization of reactions on (001) diamond
P.E. Viljoen, W.D. Roos, H.C. Swart and P.H. Holloway 612

Characterization of MOCVD-grown GaAs on Si by spectroscopic ellipsometry
G. Yu, T. Soga, T. Jimbo and M. Umeno 617

VII. EPITAXIAL GROWTH OF WIDE BANDGAP SEMICONDUCTORS

ZnSe crystal growth by radical assisted MOCVD
Y. Hatanaka, T. Aoki, M. Morita and Y. Nakanishi 621

Correlation between cathodoluminescence and structural defects in ZnS/GaAs(100) and ZnSe/GaAs(100) studied by transmission electron microscopy
T. Mitsui, N. Yamamoto, J. Yoshino, T. Tadokoro, S. Ohta, K. Yanashima and K. Inoue 625

Aluminum doping of ZnTe grown by MOVPE
S.I. Gheyas, S. Hirano, M. Nishio and H. Ogawa 634

Preparation of blue-emitting $SrGa_2Se_4$:Ce thin films by multi-source deposition
Y. Nakanishi, F. Shiba, K. Sowa, H. Tatsuoka, H. Kuwabara, T. Nakamura and Y. Hatanaka 639

Microwave plasma assisted LCVD growth and characterization of GaN
B. Zhou, X. Li, T.L. Tansley and K.S.A. Butcher 643

Growth of high-quality ZnTe layers by MOVPE
S.I. Gheyas, S. Hirano, M. Nishio and H. Ogawa 647

XPS analysis of chemically etched II–VI semiconductor surfaces
A. Kita, M. Ozawa and C.D. Gutleben 652

Preparation and photoluminescent characteristics of $Zn_xSr_{1-x}S$:Ce thin films
S.T. Lee, M. Kitagawa, K. Ichino and H. Kobayashi 656

Author index 660

Subject index 669